

P-01 Evaluation of primary production in seagrass bed of brackish Lake Obuchi, Aomori, Japan

Shinji Ueda, Kunio Kondo, Shun'ichi Hisamatsu (Department of Radioecology, Institute for Environmental Sciences)

P-02 Extracellular enzymes of alkaliphilic *Bacillus* sp. 4545 isolated from sediment of Lake Nakaumi

Akinobu Oshima, Tsuguhiro Nonaka, Toshio Sato, Tomoyuki Kuwabara (Faculty of Life and Environmental Science, Shimane University) and Masahiro Hyodo (The United Graduate School of Agricultural Sciences, Tottori University)

P-03 Spectral measurements of *Zostera marina* and balloon observation in Yoshina Tidal Flat

Yuji Sakuno (Graduate School of Engineering, Hiroshima University), Tsutomu Tanaka, Luy Sochea (Faculty of Engineering, Hiroshima University), Yoshikazu Tanaka (Graduate School of Engineering, Hiroshima University)

P-04 Landscape Ecological Research for Conservation of National Treasure, *Caulerpa scalpelliformis* var. *scalpelliformis* at Okutodo Bay, Oki Island, Japan

Shogo Arai, Yasuhiko Nakayama (Aquascape Research Co., Ltd., Ushirodani 622-1, Takugi, Okinoshima, Oki, Shimane, 685-0106 Japan), Hisanori Kohtsuka (Oki Caulerpa Preservation Team)

P-05 Regulation of water bloom of *Microcystis* genus by predatory effect of flagellate *Monas guttula*

Takatoshi Enomoto, Takashi Amemiya, Kiminori Itoh (Graduate school of Environment and Information Sciences, Yokohama National University, Yokohama, Kanagawa 240-8501, Japan), Tomoaki Itayama, Nobuyuki Tanaka, and Yuhei Inamori (National Institute for Environment Studies)

P-06 Reproductive traits of *Zostera japonica* in the Ohashi River: suggestion by the allele distribution

Satoru Araki and Hidenobu Kunii (Research Center for Coastal Lagoon Environments, Shimane University)

P-07 Composite change of lagoon diatom assemblages along the water exchange based on tide level shift

Kota Katsuki, Koji Seto (Research Center for Coastal Lagoon Environment, Shimane University), Takeshi Sonoda (Faculty of bio-industry, Tokyo University of Agriculture), Toshifumi Kawajiri (Nishiabashiri Fisheries Cooperative Association)

P-08 The effect of sediment conditions on the growth of *Zostera japonica*, a seagrass

growing in brackish water

Tohru Yabe, Tomohiko Yoshida (National Institute for Environmental Studies, Environmental Biology Division), Yuichi Ishii (Kasumigura Environmental Science Center, Ibaraki)

P-09 Experimental studies on germination and growth of *Zostera marina* using seeds and sediments collected from Lake Nakaumi

Akifumi Fukatsu, Keiko Yamaguchi (Faculty of Life and Environmental Science, Shimane University, Matsue 690-8504, Japan), Takao Okumori (NPO Sakimori Network)

P-10 Relation between water residence time and algal growth  
above some rivermouth barrages

Yoshikuni Hodoki (Research Center for Coastal Lagoon Environments, Shimane University, Matsue 690-8504, Japan) and Tetuo Murakami (Nagoya Women's University)

P-11 Nature restoration of Lakes Shinji and Nakaumi -Present conditions and monitoring-  
Colonization process of attached algae

Shuji Ohtani (Faculty of Education, Shimane University)

P-12 Creation of Fishing Ground by Mimicking Fish Habitat Types

Yasuhiko Nakayama, Shogo Arai (Aquascape Research Co., Ltd., Ushirodani), Fujita (Kanedakensetsu Co., Ltd.)

P-13 Annual changes in the number of geese (White-fronted Goose, Bean Goose) and swans (Tundra Swan) in Hii-kawa

Nishikori Shinji (TAKESHITA ENGINEERING CONSULTANT CO., LTD.)

P-14 Occurrence of living benthic foraminifera and the application to environmental  
monitoring in Ohashi River

Hiroyuki Takata, Koji Seto and Kengo Kurata (ReCCLE, Shimane Univ.)

P-15 Field experimental studies on the tolerance of *Corbicula japonica* to anoxic and high  
hydrogen sulfide conditions in Lake Abashiri, north Japan

The survival rate and the record in shell structure

Kaori Nohara, Koji Seto (Shimane Univ., Matsue 690-8504, Japan), Ryouichi Tamura (Hokkaido Fish Hatchery), Takeshi Sonoda (Tokyo Univ. of Agriculture), Toshifumi Kawaziri (Nishiabashiri Fisheries Co. Asso.), Hiroyuki Takata and Keiko Yamaguchi (Shimane Univ.)

P-16 Environmental examinations for habitat and tolerance of  
*Scapharca subcrenata* in Lake Nakaumi.

Makiko Sakurai, Keiko Yamaguchi (Faculty of Life and Environmental Science, Shimane University, Matsue 690-8504, Japan), Masao Ishikura (Federation of Fisheries Cooperative Association of Lake Nakaumi), Katsuhiko Ueda (Fisheries Agency)

P-17 Temporal changes of ostracode assemblages in Omura Bay, Nagasaki Prefecture,

Southwest Japan during the 20th century

Shigenori Kawano, Toshiaki Irizuki (Interdisciplinary Faculty of Science and Engineering, Shimane University, Matsue 690-8504, Japan), Ritsuo Nomura (Faculty of Education, Shimane University)

P-18 Population dynamics of coastal lagoon ostracodes in Lake Nakaumi, Shimane, Southwest, Japan

Hiroki Ogusa and Toshiaki Irizuki (Interdisciplinary Faculty of Science and Engineering, Shimane University)

P-19 Estimation of food sources for molluscs in Lakes Shinji and Nakaumi

Kengo Kurata, Masahiro Horinouchi (Research Center for Coastal Lagoon Environments, Shimane University, Matsue 690-8504, Japan), David L. Dettman (Department of Geosciences, University of Arizona)

P-20 Effects of human-induced alteration in structural complexity created by seagrass on a fish assemblage structure in a seagrass bed

Masahiro Horinouchi (Research Center for Coastal Lagoon Environments, Shimane University, Matsue, Shimane 690-8504, Japan)

P-21 Water quality and flow rate in the tidal zone such as coastal area in the developing countries

Yoshiaki Tsuzuki (ReCCLE, Shimane Univ., Matsue 690-8504, Japan), Thammarat Kootatep (AIT, Thailand), MD Mafizur Rahman (BUET, Bangladesh), Faruque Ahmed (ReCCLE, Shimane Univ.)

P-22 Turbidity monitoring of Lake Shinji and Nakaumi using MODIS

Shuichiro Yamamoto, Toshiaki Kozu, Toyoshi Shimomai (Interdisciplinary Faculty of Science and Engineering, Shimane University, Matsue 690-8504, Japan), Yuji Sakuno (Graduate School of Engineering, Hiroshima University), Shingo Nonohara (Interdisciplinary Graduate School of Science and Engineering, Shimane University)

P-23 Detailed investigation of water quality in the Hii River

- Where the river is contaminated -

Hiroshi Kamiya, Yoshihiro Kano (Shimane Prefectural Institute of Public Health and Environmental Science)

P-24 N<sub>2</sub>O emission in the fringing zone of coastal lagoon, Lake Nakaumi, Japan

Yukiko Senga (Faculty of Geo-Environmental Science, Rissho University, Kumagaya 360-0194, Japan), Mitsuru HIROTA (Sugadaira Montane Researcher Center, Univ. of Tsukuba), Yasushi SEIKE (Faculty of Science and Engineering, Shimane Univ.), Seiichi Nohara (Asian Environmental Research Group, NIES), Hidenobu KUNII (Research Center for Coastal Lagoon Environments, Shimane Univ.)

- P-25 The monitoring of water quality in the river mouth area of Hii River in 2006  
Hajime Yanagitani (Geosci. Shimane Univ. , Matsue 690-8504, Japan) and Koji Seto (ReCCLE Shimane Univ.)
- P-26 Long-term variation of water quality in the Hii River and changes of watershed characteristics  
Ikuo Takeda, Hiroaki Somura and Yasushi Mori (Faculty of Life & Environmental Science, Shimane University)
- P-27 Restoration monitoring of carbon dynamics in the fringing zone of coastal lagoon, Lake Shinji, Japan  
Mitsuru Hirota (Sugadaira Montane Researcher Center, Univ. of Tsukuba), Yukiko Senga (Faculty of Geo-Environmental Science, Rissho Univ.), Masaaki Hirao, Takashi Fujii, Yasushi Seike (Faculty of Science and Engineering, Shimane Univ.), Hidenobu Kunii (Research Center for Coastal Lagoon Environments, Shimane Univ.)
- P-28 Quantification of bacterial biomass in the surface sediment of the Lakes Shinji and Nakaumi  
Shun Tsuboi ( Graduate School of Environment and Information Sciences, Yokohama National University ) , Rajendran, N. , Koji Seto(Research Center for Coastal Lagoon Environments, Shimane University), Kiminori Itoh( Graduate School of Environment and Information Sciences, Yokohama National University )
- P-29 Bottom water dynamics of Lake Nakaumi viewed with a long-term underwater video camera: Pictures after November, 2006  
Ritsuo Nomura, Toshiyuki Nariai (Shimane Univ.), Yuzuru Horie (Shimane Foundation), Koji Seto (Shimane Univ.)
- P-30 Floods and upward seawater recorded in the recent sediment of Lake Koyamaike, Tottori Prefecture  
Moeko Himei, Ritsuo Nomura (Faculty of Education, Shimane University), Shigenori Kawano (Shimane Univ.), Kei Yajima (Tottori Univ.)
- P-31 A long-term variation of monthly sediment fluxes in the central part of Lake Nakaumi  
Misa Tanabe, Ritsuo Nomura (Faculty of Education, Shimane University), Koji Seto (Shimane Univ.)
- P-32 The feature of Water Quality and Surface Sediments in Aso-kai Lagoon, Kyoto Prefecture, Japan  
Chiemi Yohena (Geosci. Shimane Univ.) , Koji Seto, Hiroyuki Takata (ReCCLE, Shimane Univ.) and Satoshi Tanaka (Kyoto Univ. of Education)
- P-33 The feature of Surface Sediments in Lake Nakaumi and Lake Shinji, southwest Japan  
Kouki Noda(Geosci. Shimane Univ.) , Koji Seto, Kengo Kurata, Hiroyuki Takata

(ReCCLE, Shimane Univ.) and Keiko Yamaguchi (Life and Envir. Sci. Shimane Univ.)

P-34 The change of bottom environment with the red tide bloom in Lake Nakaumi, southwest Japan.

Hiroyuki Miyagi ( Geosci. Shimane Univ. ) , Koji Seto and Kota Katsuki ( ReCCLE, Shimane Univ. )

P-35 Heavy metal contents in the sediments of Lakes Shinji and Nakaumi in southwest Japan  
Faruque Ahmed, Koji Seto (ReCCLE, Shimane Univ., Matsue 690-8504, Japan), M. Hawa Bibi, Hiroaki Ishiga (Department of Geoscience, Shimane University)

P-36 From Brackish-Water Region To Tide Land  
Shin Onbe ( National Museum of Japanese History )

P-37 Changes in the occurrence of oxygen-poor bottom-water in the past 6,000 years in brackish lacustrine sediments of Lake Shinji, southwestern Japan and a possible linkage to East Asian monsoon activities

Kazuyoshi Yamada (Research Center for Coastal Lagoon Environments, Shimane University) and Katsumi Takayasu (Shimane University)

P-38 Transition of molluscan fauna in Lake Nakaumi reconstructed from core analysis and document records in 20th century.

Keiko Yamaguchi (Faculty of Life and Environmental Science, Shimane University), K. Yamada, K. Katsuki, H. Takata, D. Nakayama, H. Kunii (ReCCLE), Y. Miyamoto (Tottori Pref.)

and H. Coop (LIZA)

P-39 Changes of Lagoon Ecology in Nakaumi, southwest Japan during the last Century  
Kota Katsuki, Kazuyoshi Yamada, Hiroyuki Takata, Daisuke Nakayama, Hidenori Kunii (Research Center for Coastal Lagoon Environment, Shimane University), Keiko Yamaguchi (Department of Life and Environmental Science, Shimane University), Yasushi Miyamoto (Tottori Prefectural Institute of Public Health and Environmental Science), Hugo Coops (WL/Delft Hydraulics), Saburo Sakai (JAMSTEC), Ritsuo Nomura (Department of Education, Shimane University)

P-40 Temporal changes of persistent organic pollutants (POPs) in sediment cores, Lake Nakaumi

Heesoo Eun, Yun-Seok Kim(National Institute for Agro-Environmental Sciences) , Hidenobu Kunii, Yoshiaki Tsuzuki (Shimane University, Research Center for Coastal Lagoon Environments), Masunaga Shigeki, (Graduate School of Environment and Information Sciences)

P-41 Characteristics of water quality in River Iinashi and its tributary

Morihiro Aizaki(Faculty of Life and Environmental Science, Shimane University), Minoru Okumura, Yasushi Seike(Interdisciplinary Faculty of Science and Engineering, Shimane University), Hiroaki Soumura(Faculty of Life and Environmental Science, Shimane University), Yosiaki Tsuzuki, Daisuke Nakayama(Research Center for Coastal Lagoon Environments, Shimane University), Kumiko Nishigata(Faculty of Life and Environmental Science, Shimane University)

P-42 Land cover classification of Matsue area with Landsat-5/TM data

Shingo Nonohara, Toshiaki Kozu, Toyoshi Shimomai (Interdisciplinary Graduate School of Science and Engineering, Shimane University, Matsue 690-8504, Japan)

P-43 Wild Boar Damage and Land Use Management of Valley in East Part of Shimane Prefecture

Hirokazu Sakuno (Faculty of Education, Shimane University), Daisuke Nakayama (Research Center for Coastal Lagoon Environments, Shimane University)

P-44 Liminological study on the formation of coastal lagoon environments of Lake Songkla, southern Thailand -A survey report of Lake Songkla in summer 2005-

Kazuyoshi Yamada, Koji Seto (Research Center for Coastal Lagoon Environments, Shimane University), Saburo Sakai (JAMSTEC), Katsura Ishida (Shinshu University) and Charlchai Tanavud (Prince of Songkla University)

P-45 Preliminary study of the pasta-concrete for bio-coexistence

Yasushi ICHIMURA, Tomoyoshi KOIZUMI (Mikuniya Co.) , Nobuo SAKURAI (Environmental Planning Group, Kajim Co.), Boon Keng LIM, Hanako NAKAMURA (Technical Research Institute, Kajima Co.), Takao UCHIKAWA, Yuuji KARAKI (Geostr Co., Saitama)

P-46 Water purification system for the lake water renovation using granulated Akadama soil Kajiya (NS Environmental Science Consultant Corporation)

P-47 Zero Emission Type Advanced Phosphorus Removal and Recycle System Carrying Functional Inorganic Material

Toshio Sato (Faculty of Life and Environmental Science, Shimane University)

P-48 Restroration Project of Coastal Lagoon Nakaumi by Tottori Pref.

Part : Surveys on present status of Nakaumi ecosystem and ecosystem function potential  
Akiko Hatsuda, Yasushi Miyamoto ( Tottori Pref. Inst. of Public Health and Environmental Science )

P-49 Assessment of Anti-biodegradation Performance of CCC-treated Lumbers Exposed under Japan-Sea and Coastal Lagoon of Lake Nakaumi

Ikuo Furukawa, Kenichi Takaoand, Satoshi Shibata(Faculty of Agriculture, Tottori University)

- P-50 Record examples of compact sidescan sonar in the coastal waters  
Kiyokazu Nishimura, Masato Joshima (National Institute of Advanced Industrial Science and Technology (AIST)), Takao Tokuoka, Ayumi Fukita (Tokuoka Laboratory for Studies of Brackish Water Environments)
- P-51 Preparing environmental database of Lakes Shinji and Nakaumi Drainage Areas  
Discussion group on environmental database of Lakes Shinji and Nakaumi  
(Secretariat: Research Center for Coastal Lagoon Environments, Shimane University)
- P-52 The Shoals Construction in Lakes Nakaumi and Shinji  
Jouji Yuasa(Izumo River Office, Ministry of Land, Infrastructure and Transport of Japan)
- P-53 An Approach to estimate non-point source pollution using GIS-based system for watershed management in Iinashi River basin  
Daisuke Nakayama ( Research Center for Coastal Lagoon Environments, Shimane University),  
Morihiro Aizaki (Faculty of Life and Environmental Science, Shimane University)
- P-54 Attempts of eelgrass bed restoration by the fishery cooperative, NPO and a private enterprise in the township of Hayama, Kanagawa Prefecture  
Yoshinori Koshikawa, Katsunori Yamaki, Boon keng Lim, Hanako Nakamura, Yumi Shimbo and Masahiro Tanaka ( Kajima Technical Research Institute, Kajima Corporation )
- P-55 The examination of muddiness countermeasure in the Bay  
–A case study of natural restoration in Tatsukushi Bay –  
Kazuhiko Yamauchi (Tokyo Kyuei Co.,Ltd.) and Chugoku-Shikoku Regional Environment Office ,Ministry of the Environment
- P-56 Activities on water purification, natural restoration and wise use of Lake Nakaumi  
Environment and Resource Management Division, Living Environment Bureau, Western Tottori Regional Office, Tottori Prefectural Government
- P-57 Nakaumi reproduction agriculture activation project  
Akihito Hara(NPO corporate Ecopartonar Tottori)
- P-58 Yonago Waterbird Sanctuary as Restored Flyway wetland in Lake Nakaumi, Japan  
Kaname Kamiya and Keisuke Kirihara(Nakaumi Waterbird International Found)